

Department of Public Safety and Correctional Services

Maryland Parole Commission

6776 REISTERSTOWN ROAD • SUITE 307 • BALTIMORE, MARYLAND 21215-2343 (410) 585-3232 • FAX (410) 764-4355 • TOLL FREE (877) 241-5428 • www.dpscs.maryland.gov

COMMISSION MEETING
MAY 1, 2019
CENTRALIZED HIRING CONFERENCE ROOM
6774-C REISTERSTOWN ROAD
BALTIMORE, MARYLAND 21215

MINUTES OPEN SESSION

Attendees: Chairman Blumberg; Commissioners Cluster, Hill, Reynolds and Smack;

Program Managers Christine Burke and Ruth Ogle

Absent: Commissioners DeBoy, Keckler, Miller

Chairman Blumberg convened the meeting at 9:38 a.m.

> The minutes from the April 17, 2019 open session were reviewed and approved as submitted.

- ➤ Commissioner Begosh's last day with the Commission was April 30, 2019.
- > Jim Brochin has been appointed to the Commission. He will be scheduled to train with all of the commissioners.
- > Commissioners must provide rationale on the record if they go outside of JRA guidelines when conducting revocation hearings.
- **▶** DPSCS Employee Appreciation week is May 6-10, 2019.
- A warrant should not be issued on alleged violations that have already been addressed.
- > When two commissioners cannot come to an agreement at a hearing a third commissioner will be assigned to the case as a tiebreaker. The third commissioner may agree with one of the original panel members or offer a different decision. Two of the commissioners must agree on the final decision.
- ➤ There was an article in the *Baltimore Sun* about a commutation of sentence granted by Governor Hogan.
- > At 10:32 a.m. under General Provisions Art. § 3-305 Chairman Blumberg made a motion to end the open session and go into a closed session to discuss personnel matters and review cases en-banc. A vote was taken and all commissioners were in favor. The meeting will reconvene in the Parole Commission's conference room.

DRB: mac

STATE OF MARYLAND

LARRY HOGAN GOVERNOR

BOYD K. RUTHERFORD LT. GOVERNOR

STEPHEN T. MOYER

SECRETARY

DAVID R. BLUMBERG CHAIRMAN